



Test Report/ Certificate of Analysis



Date of Report 09/15/2026
To: REVITRA LABS
From: AxisPharm, LLC

Certificate ID Number: 15Sept2026-015
Results reported by: Archer Liu


Review/Approved by: 
QA Director
Dawei Yue

Sample Received: Date: 08/28/2026
Receiving Condition: Acceptable
Storage Condition: Room temperature

Sample Name: PT-141; Brand Name: REVITRA LABS; Lot#:
PT10VA-0826-A1; MFD: 08/2026; BBD: 08/2028

Method(s): LCMS and LAL Endotoxin Assay

Results:



Sample Name	Net Weight Measured (mg)	MW (g/mol)	Detected	UV Purity (%)
PT-141	4.8	1025.2	1026.3[M+H]	99.4%

Endotoxin Results:

AxisPharm, LLC

Results only apply to tested Research Use Only samples within Test Report as received. Not for use in humans or animals. Analytical data apply only to the batch tested and do not indicate suitability for diagnostic or therapeutic use. Any unauthorized alteration, reproduction, or relabeling of this COA renders it invalid.



Test Report/ Certificate of Analysis



Sample Name	Endotoxin Testing Value (EU/mg)
PT-141	0.061

Salts and sugars that serves as fillers in injectables/nasal sprays/oral stripes are not considered as impurities. Conclusion: The samples comes with PT-141, 4.8mg and with purity of 99.4% by UV.